

WELCOME

ANKENY AREA CONTRACTORS

Thank you for being here today!

PLANNING, BUILDING & DEVELOPMENT ENGINEERING PERSONNEL

- Carmen Santee, Permits Clerk
- Debbie Schaffer, Permits Clerk
- Kathy Steeples, Permits Specialist
- Michael Villamagna, Combination Inspector I
- Craig Larsen, Combination Inspector II
- Jerry Agan, Combination Inspector III
- John Cabeen, Code Enforcement Officer I
- Dennis Neff, Civil Engineering Technician
- Don Clark, Civil Engineer
- Jon Hanson, Development Engineering Administrator
- Jeff Junker, Building & Zoning Administrator
- Eric Carstens, Associate Planner
- Seana Perkins, Associate Planner
- Debra Lampe, Associate Planner
- Trish Kuhn, Administrative Assistant
- Eric Jensen, Assistant Planning and Building Director
- John Peterson, Planning and Building Director
 - Jared Bright, Storm Water Coordinator

INFORMATION AVAILABLE

- City of Ankeny
 - Adopted codes and amendments
 - Permit application forms
 - Permit submittal requirements
 - Handout information
 - Etc. Etc.

www.ankenyiowa.gov

CONSTRUCTION CODES

Current

- 2006 International Residential Code
- 2006 International Building Code
- 2006 International Fire Code
- 2006 International Mechanical Code
- 2006 International Plumbing Code
- 2006 International Fuel Gas Code
- 2006 International Property Maintenance Code
- 2008 National Electric Code per State of Iowa

Future

- 2009 International Residential Code
- 2009 International Building Code
- 2009 International Fire Code
- 2009 International Mechanical Code
- 2009 Uniform Plumbing Code
- 2009 International Energy Conservation Code
- 2009 International Property Maintenance Code
- 2008 National Electric Code per State of Iowa

Construction Provisions' Reminders

- Building
 - -Narrow Wall Bracing
 - -Exterior Stairs Temporary
 - Deck Ledger Fastening
 - Roof Truss Bracing
 - -Engineered Products



Exterior Doors

- R311.4.3 Landings at Doors
 - There shall be a floor or landing on each side of a door not more than 1 ½ inches below the threshold.
 - Exception 1 two or fewer risers (other than the front/required door)
 - Exception 2 may be 7 ¾ inches lower than threshold if only screen door swings over



Exterior Doors

Correct Incorrect





Deck Ledger Fastening

- R502.2.2
 - Deck ledger connection to band joist requires a minimum nominal 2" dimensional band joist or minimum 1" composite band joist (SCL or LVL)
 - Connection shall be made with appropriately spaced ½" lags or ½" bolts with washers
- R502.2.2.1
 - A flashed deck ledger is required.
 - Ledger shall not be installed over siding
- R403.1
 - Footings shall bear on undisturbed soil
 - Footings within the over-dig area to be @ basement foundation elevation

Deck Ledger Fastening

Joist Span	6' and less	6'1" to 8'	8'1" to 10'	10'1" to 12'	12'1" to 14'	14'1" to 16'	16'1" to 18'
Connection Details	On-center spacing of fasteners						
½" dia. Lags with 15/32" max sheathing	30"	23"	18"	15"	13"	11"	10"
½" dia. Bolts with 15/32" max sheathing	36"	36"	34"	29"	24"	21"	19"
½" dia. Bolts with 15/32" max sheathing and stacked washers	36"	36"	29"	24"	21"	18"	16"

Connectors shall extend through the band joist





ROOF TRUSS BRACING

- Truss design drawings shall be engineered drawings and must be provided.
 - Provide with building plan submittal
 - -or-
 - Provide on the job site
- Bracing of engineered trusses is critical to the engineered design. Understand and apply the required bracing

ENGINEERED PRODUCTS

Roof Trusses

 Cutting, notching & boring are prohibited except where permitted by the manufacturer's recommendations.

Floor Trusses

- Cutting, notching & boring are prohibited except where permitted by the manufacturer's recommendations.
- Engineered Lumber & Laminated Beams
 - Cutting, notching & boring are prohibited except where permitted by the manufacturer's recommendations.
- A stamped structurally engineered "FIX" is required if the above is violated.

STATE MANDATES IMPLEMENTED CHANGES SINCE LAST YEAR

- 2008 National Electric Code
- 2009 International Energy Conservation Code
- Dual Sensor Smoke Detectors

2008 NATIONAL ELECTRIC CODE

This requirement is mandated by the State of Iowa

Electrical

- Concrete-Encased Electrode (footing ground)
- Tamper Resistant Receptacles
- Arc-Faults & Ground Faults
- Protection of Wiring

Energy Compliance

- This requirement is mandated by the State of Iowa and is currently based on the 2009 International Energy Code.
- Please use the following reporting form:
- Residential Energy Code (RES Check)
- REM/Rate
- Other as provided by certified raters?

Performance or prescriptive designs are recognized, please provide documentation with permit application. If using the performance path please provide documentation with initial permit application submittal and thereafter 'testing' documentation proving compliance. This is needed before a Certificate of Occupancy may be issued.

Dual Sensor Smoke Detectors

- The State Fire Marshal filed administrative rules requiring all new residential construction to be equipped with dual sensor smoke detectors with the effective start date of April 1, 2010.
- A dual sensor detector is a detector that has both a photoelectric sensor that protects best against slow, smoldering fires and an ionization sensor that protects best against fast, flaming fires.
- The new administrative rules regarding dual sensor detectors are found in 661 Iowa Administrative Code Chapter 210.
- This requirement includes replacement of existing smoke detectors as well.

19

PERMIT FEE SCHEDULE

• Building and trades' permit fees are anticipated to stay the same

RESIDENTIAL SPRINKLERING – IRC Buildings Only

- No change anticipated
- SFD threshold 8,000 square feet including basement and all floors does not include garage square footage
- T'homes back-to-back up to 12 units allowed with two-hour separations in lieu of sprinklering

CODE UPDATES – CHANGES AS DESCRIBED IN PREVIOUS UPDATE MEETINGS

- •Window Sills Heights & Openings
- Eave Edge Protection all roofs
- CO² detector required in each dwelling unit

More Than 6' Above Grade & Less Than 2' AFF Window May Not Open More Than 4" - - maintain egress windows at least 24" AFF





Eave Edge Protection

Ice barrier.

In areas where there has been a history of ice forming along the eaves causing a backup of water as designated in Table R301.2(1), an ice barrier that consists of at least two layers of underlayment cemented together or a self-adhering polymer modified bitumen sheet shall be used in place of normal underlayment and extend from the lowest edges of all roof surfaces to a point at least 24 inches (610 mm) inside the exterior wall line of the building.

Ice barrier underlayment required

Carbon Monoxide Alarms

• R315.1

- Shall be installed outside each separate sleeping area in the immediate vicinity of the bedrooms
- Shall be installed in existing dwellings where work requiring a permit occurs
- Shall be listed as complying with UL 2034 and be installed per manufacturer

COSESCO – Erosion Control Plan

- Jared Bright
- Storm Water Coordinator
- 963-3534
- www.ankenyiowa.gov
 - Municipal Utilities
 - Stormwater Utility

	Dute Issued					
	Construction Site Erosion and Sediment Control (COSFSCO) Information to be Submitted with Building Permit Application					
Site Street	Address:					
Pari A.	Choose pace					
	the above address is covered under the State General Perceit #2 as a part of the larger development of					
	(plat) [I have obtained State General Perroit #2 coverage for this address as required by the developer.					
Part B.	Choose one:					
	I am the permittee of the development/plat referenced above.					
	I have accopted a transfer of liability and are solely responsible for General Pourit #2 compliance on my site.					
	I have not accepted a transfer of Fability. The responsible party is					
Part C.	Chouse one:					
	Lam submitting a Stormwater Pollation Prevention Plan (SWPPP) for this sile (if developer requires that the builder obtain their own State General Pormil #2).					
	3 am submitting a site plan with crosson controls shown and this form.					
Part D.	COSESCO Contact Information:					
	Applicant name					
	Applicant e-mail					
	Applicant address					
	pplicant phone					
Applicant 8	fignature Daic					

For City Use: Permit No. Issued

STORMWATER -**EROSION** CONTROL PRACTICES -ANTICIPATE **CHANGES**

STORMWATER STAKEHOLDERS

- EPA
- IDNR
- CITY OF ANKENY
- DEVELOPERS
- BUILDERS
- CITIZENS OF ANKENY

STORMWATER REGULATORS

• EPA

• IDNR

CITY OF ANKENY





Anticipate Changes











STORMWATER – EROSION CONTROL PRACTICES – ANTICIPATE CHANGES

- Perimeter control per lot required prior to permit issuance
- Concrete washout containment structure/area required on each lot prior to permit issuance -or- provide copy of written agreement to use Developer's common washout area.
- Temporary site access rock drive required within 7 days of foundation installation or 3 days of Sewer/Water/Storm Installation whichever occurs first.
- Interim inspections to confirm compliance * if non-compliant a Pre-Citation will be issued immediately and followed up with a Citation if non-compliant 24 hours later. (weather related constraints will be considered)

STORMWATER – EROSION CONTROL PRACTICES – ANTICIPATE CHANGES

Final Inspection

• Final Certificate of Occupancy may be issued upon confirmation that all construction and zoning codes are compliant, lot is fully stabilized and erosion control features are removed.

-or-

- Final Certificate of Occupancy may be issued when all construction and zoning codes are compliant and a copy of an ESCROW agreement including the City of Ankeny as a party to the agreement for those site related items not completed is provided. The ESCROW agreement must state that the C of O has been issued in reliance on funds being escrowed in an amount necessary to complete all outstanding work.
- Temporary Certificate of Occupancy
- A temporary Certificate of Occupancy may be offered provided all
 construction and zoning codes are compliant and all erosion control
 measures are compliant and maintained in-place. A temporary Certificate of
 Occupancy is valid for no more than twenty one days except during winter
 months.

STORMWATER – EROSION CONTROL PRACTICES – ANTICIPATE CHANGES



STORMWATER EROSION CONTROL PRACTICES - PERMITTING and INSPECTIONS

Prior To Permit - ne work other than crosten control measures* installations is allowed prior to permit issuance.

- Perimeter control per lot required prior to permit issuance
- Concrete washout containment structure/area required on each lot prior to permit issuance -or-provide copy of written agreement to use Developer's commun washout area.

Inspections will be scheduled upon receipt of permit applications. A permit may not be issued unless and until compilant crosion control measures listed above are in place and the plans are approved and the permit fee received. For any work other than crosion control measures installation a Stop Work order will be posted and a pre-citation issued affording 24 hours to correct the deffeiency. (weather related constraints will be considered) Upon follow up inspection if evision control measures are not compliant a citation will be issued.

After foundation and/or sewer-water-storm installation

 Temporary site access - rock drive required within 7 days of foundation installation or 3 days of Sewer/Water/Storm Installation whichever occurs first.

An inspection will be scheduled in accordance with the above timeframe(s). If the temperary site access is not compliant and/or if any ension control measures are not compliant, a Stop Work order will be posted and a precitation issued affording 24 hours to correct the deficiency. (weather related constraints will be considered) Upon follow up inspection if crosion control measures and temperary site access—rock drive are not compliant a citation will be issued.

Interim Construction Period

Inspections may and will occur at any time during the course of a project's construction.

If any erosion control measure or feature is found to be non-compliant, a Stop Work order will be posted and a precitation issued affording 24 hours to correct the deficiency. (weather related constraints will be considered). Upon follow up inspection if croston control measures or features are not compliant a citation will be issued.

Final Inspection - Certificate of Occupancy

5. Final Certificate of Occupancy

Final Certificate of Occupancy may be issued upon confirmation that all construction and zening codes are compliant, lot is fully stabilized and prosion control features are removed.


-01-


Final Certificate of Occupancy may be issued when all construction and zoning codes are compliant and a copy of an ESCROW agreement including the City of Ankeny as a party to the agreement for those site related items not completed is provided. The ESCROW agreement must state that the C of O has been issued in reliance on finals being escrowed in an amount necessary to complete all outstanding work.

Temporary Certificate of Occupancy

A temporary Certificate of Occupancy may be offered provided that all construction and zoning codes are compliant and all erosion control measures are compliant and maintained in place. A temporary Certificate of Occupancy is valid for no more than twenty one days except during winter months.

• 220 West First Street • Ankeny, A 50023 • WARLET, Ankespile Ja. 39





PERIMETER CONTROL

Prior to permit issuance perimeter erosion control measures shall be installed. Additionally, if a developed lot is adjacent then picket fence/riot fence shall be installed along the common lot line(s). An inspection will be scheduled to confirm installation when the permit application is submitted. A permit will not be issued unless compliant perimeter control measures are installed.

PERIMETER CONTROL





CONCRETE WASHOUT CONTAINMENT

Prior to permit issuance a concrete washout containment structure/area be installed -or- provide copy of written agreement to use Developer's common washout area with permit application submittal. An inspection will be scheduled to confirm installation -or- receipt of agreement to use developer's common washout area when the permit application is submitted. A permit will not be issued unless a compliant concrete washout containment area is installed -or- agreement is provided.

CONCRETE WASHOUT CONTAINMENT AREA

 Concrete washout containment area required on each lot and may be an excavation or an above ground containment area of adequate size and strength to contain the project's washout



PRE PERMIT ISSUANCE PERIMETER CONTROL

If erosion control measures and adjacent lot protection fencing as applicable are not appropriately installed a permit will not be issued.

No work other than erosion control measures may be done until a permit has been issued.

EROSION CONTROL MEASURES' INSTALLATION

STOP WORK

City of Ankeny Office of Building Official

NOTICE

Address:

This property has been inspected and Construction Site Erosion and Sediment Control features are found to be non-compliant. Corrective action shall be taken immediately to remedy this state of non-compliance. No other work shall be allowed on this site until approval of corrective action is granted. Ankeny Municipal Code Chapter 169

Soft Sunder

Building Official

Date

When corrections are complete call Jared Bright, Storm Water Coordinator for re-inspection @ 515-963-3534.

Do not remove this notice under penalty of law.

If erosion control measures are not appropriately installed a permit will not be issued and a Stop Work order will be posted. If any work occurs other than erosion control measures' installation a pre-citation will be issued.

Stop Work Orders shall not be removed or defaced and no work shall continue or commence thereafter until approval by City personnel.

No work other than erosion control measures' installation may be done until a permit has been issued.

EROSION CONTROL MEASURES' INSTALLATION

CITY OF ANKENY PLANNING and BUILDING DEPARTMENT PRE-CITATION AND COMPLAINT NOTICE

	laint inspection a	inning and Building Dep t the following:	artment conducted	a regular, recheck, or
Name	e:			
Doing	Business As:			
Addre	ess:			6
City:	<u>Ankeny</u>	State: <u>lowa</u>	Zip:	
	AM/PM, a			/ / at of the Ankeny
existe	ed in the following	g form:		
		<u> </u>		
		C	<u> </u>	
-	You are to	comply with the An	•	
		(X the appropr	riate blank)	
This Civil infrac	Notice is written Citation become ction punishable	as a courtesy to you as necessary, it is typic by a financial fine no	in order to avoid a cally the result of ot to exceed <mark>\$750</mark>	a Civil Citation. If a a municipal
Code	Name: Doing Business As: Address: City: Ankeny State: lowa Zip: The Code Enforcement Officer (or agent) states that on, or about, / / at			
	_ Initial here and	add date if this is corre	cted upon recheck	//

If erosion control measures are not appropriately installed a permit will not be issued and in addition to a Stop Work order a pre-citation will be issued for any work other than erosion control measures' installation.

No work other than erosion control measures' installation may be done until a permit has been issued.

Within 24 hours from pre-citation issuance compliant erosion control measures shall be installed or a citation will be issued (weather related constraints will be considered).

48

EROSION CONTROL MEASURES' INSTALLATION

CITY OF ANKENY PLANNING and BUILDING DEPARTMENT PRE-CITATION AND COMPLAINT NOTICE

The City of Ankeny Planning and Building Department conducted a regular, recheck, or

complaint inspection at the following:	,
Name:	
Doing Business As:	
Address:	
City: <u>Ankeny</u> State: <u>Iowa</u> Zi	o:
The Code Enforcement Officer (or agent) states that on, or AM/PM, a violation of the provisions of Section	
Municipal Code,	
existed in the following form:	•
(8)	
You are to immediately cease all activity	listed on this notice.
You are to comply with the Ankeny Munical above immediately.	cipal Code Section cited
(X the appropriate blank)	
You are hereby notified that a re-inspection will be conduct	ed on or about
, 20	
This Notice is written as a courtesy to you in order to a Civil Citation becomes necessary, it is typically the resinfraction punishable by a financial fine not to exceed offense or \$1,000.00 for subsequent offenses.	sult of a municipal
Code Enforcement Officer or Agent	Occupant Signature

Initial here and add date if this is corrected upon recheck. ___/ ___/

If erosion control measures are not appropriately installed a permit will not be issued and in addition to a Stop Work order a citation will be issued for any work other than erosion control measures' installation.

No work other than erosion control measures' installation may be done until approval by City personnel and a permit has been issued and the Stop Work order lifted (weather related constraints will be considered).

TEMPORARY SITE ACCESS - ROCK DRIVE



A temporary site access - rock

drive shall be installed within 7 days of foundation installation or within 3 days of sewer/water/storm installation whichever occurs first. The driveway shall be constructed to a minimum width of 8 feet and shall extend from the back of curb to the front setback line. Aggregate shall be a minimum 2 inch clean size and shall be a minimum of 8 inches deep.

TEMPORARY SITE ACCESS - ROCK DRIVE



- temporary site access rock drive area be located where the permanent drive is to be installed and that it be coredout to accommodate the depth of granular material.
- Use of the temporary site access rock drive aggregate as a subgrade for the permanent driveway makes good sense.

51

7 DAYS AFTER FOUNDATION OR 3 DAYS AFTER SEWER, WATER, STORM

STOP WORK

City of Ankeny Office of Building Official

NOTICE

Address:

This property has been inspected and Construction Site Erosion and Sediment Control features are found to be non-compliant. Corrective action shall be taken immediately to remedy this state of non-compliance. No other work shall be allowed on this site until approval of corrective action is granted. Ankeny Municipal Code Chapter 169

Soft Sumber

Building Official

Date

When corrections are complete call Jared Bright, Storm Water Coordinator for re-inspection @ 515-963-3534.

Do not remove this notice under penalty of law.

A compliant temporary site access - rock drive shall be installed within the prescribed timeframe. A finding of noncompliance will be cause for immediate posting of a Stop Work order and issuance of a pre-citation by City personnel.

Within 24 hours from pre-citation issuance a compliant temporary site access - rock drive shall be installed.

7 DAYS AFTER FOUNDATION OR 3 DAYS AFTER SEWER, WATER, STORM

CITY OF ANKENY PLANNING and BUILDING DEPARTMENT PRE-CITATION AND COMPLAINT NOTICE

The City of Ankeny Planning and Building Department conducted a regular, recheck, or

comp	laint inspection at the f	following:					
Name	9:						
Doing	Business As:						0
Addre	9SS:					C	
City:	<u>Ankeny</u>	State:	<u>lowa</u>		Zip:	()-	
	Code Enforcement Officement Offic						/ at Ankeny
existe	ed in the following form	า:					
			C				
_	You are to immediately cease all activity listed on this notice.						
-	You are to comply with the Ankeny Municipal Code Section cited above immediately.						
		<u>(X</u>	the appro	priate blank)			
You a	are hereby notified that	a re-insp	ection v	vill be cond	ducted on o	r about	
Č							
Civil infrac	Notice is written as a Citation becomes ne ction punishable by a se or \$1,000.00 for s	cessary a financi	it is typal fine r	oically the not to exce	result of a	municipa	l
Code	Enforcement Officer of	r Agent				Occupant	Signature

Initial here and add date if this is corrected upon recheck. ___ / ___ / ____

A compliant temporary site access - rock drive shall be installed within the prescribed timeframe. A finding of non-compliance will be cause for immediate issuance of a pre-citation by City personnel.

Within 24 hours from pre-citation issuance a compliant temporary site access - rock drive shall be installed or a citation will be issued.

No work other than temporary site access – rock driveway installation may be done until thereafter until approval by City personnel and the Stop Work order lifted (weather related constraints will be considered).

7 DAYS AFTER FOUNDATION OR 3 DAYS AFTER SEWER, WATER, STORM

Occupant Signature

CITY OF ANKENY PLANNING and BUILDING DEPARTMENT PRE-CITATION AND COMPLAINT NOTICE

complaint inspection at the following:
Name:
Doing Business As:
Address:
City: <u>Ankeny</u> State: <u>Iowa</u> Zip:
The Code Enforcement Officer (or agent) states that on, or about, / / at AM/PM, a violation of the provisions of Section of the Ankeny Municipal Code,
existed in the following form:
(O)
You are to immediately cease all activity listed on this notice.
You are to comply with the Ankeny Municipal Code Section cited above immediately.
(X the appropriate blank)
You are hereby notified that a re-inspection will be conducted on or about
, 20
This Notice is written as a courtesy to you in order to avoid a Civil Citation. If a Civil Citation becomes necessary, it is typically the result of a municipal infraction punishable by a financial fine not to exceed \$750.00 for the first offense or \$1,000.00 for subsequent offenses.

Initial here and add date if this is corrected upon recheck. ___/ ___/

Code Enforcement Officer or Agent

A compliant temporary site access - rock drive shall be installed within the prescribed timeframe.

No work other than temporary site access – rock driveway installation may be done thereafter until approval by City personnel and the Stop Work order lifted (weather related constraints will be considered).

INTERIM INSPECTIONS

STOP WORK

City of Ankeny Office of Building Official

NOTICE

Address:

This property has been inspected and Construction Site Erosion and Sediment Control features are found to be non-compliant. Corrective action shall be taken immediately to remedy this state of non-compliance. No other work shall be allowed on this site until approval of corrective action is granted. Ankeny Municipal Code Chapter 169

Soft Sunder

Building Official

Date

When corrections are complete call Jared Bright, Storm Water Coordinator for re-inspection @ 515-963-3534.

Do not remove this notice under penalty of law.

Interim inspections may occur at any time during construction. A finding of non-compliance will be cause for immediate posting of a Stop Work order and issuance of a pre-citation by City personnel.

Within 24 hours from pre-citation issuance a compliant installation shall be confirmed or a citation will be issued.

INTERIM INSPECTIONS

CITY OF ANKENY PLANNING and BUILDING DEPARTMENT PRE-CITATION AND COMPLAINT NOTICE

The City of Ankeny Planning and Building Department conducted a regular, recheck, or

comp	laint inspection at the f	ollowing:						
Name	:							
Doing	Business As:						-0	<u>}</u>
Addre	ess:						6	
City:	<u>Ankeny</u>	State:	<u>lowa</u>		Zip:	-		
Munic	code Enforcement Offic AM/PM, a viola cipal Code, d in the following form	tion of th				1	/ / of the Ank	_ at eny
)			
			C					
_	You are to imm				•			
	above immedia							
		<u>(X</u>	the approp	riate blank)				
You a	re hereby notified that	a re-insp _, 20		ill be cond	ducted on	or abou	ut	
Civil (infrac	Notice is written as a Citation becomes ne tion punishable by a se or \$1,000.00 for s	cessary a financi	, it is typi al fine no	ically the ot to exce	result of	a mur	nicipal	lf a
Code	Enforcement Officer of	r Agent				Occi	upant Signa	 ature

Initial here and add date if this is corrected upon recheck. ___/ ___/

Interim inspections may occur at any time during construction. A finding of non-compliance will be cause for immediate issuance of a precitation by City personnel.

Within 24 hours from pre-citation issuance a compliant installation shall be confirmed or a citation will be issued (weather related constraints will be considered).

No work other than repair of noncompliant erosion control measures and features may be done thereafter until approval by City personnel and the Stop Work order lifted (weather related constraints will be considered).

INTERIM INSPECTIONS

CITY OF ANKENY PLANNING and BUILDING DEPARTMENT PRE-CITATION AND COMPLAINT NOTICE

The City of Ankeny Planning and Building Department conducted a regular, recheck, or

comp	laint inspection at	the following:						
Name	:							
Doing	Business As:							5
Addre	ess:						5)
City:	Ankeny	State:	Iowa		Zip:		()	
,						XC		
The C	Code Enforcement AM/PM, a	t Officer (or ag violation of the				\	of the Ank	_ at eny
Munic	cipal Code,		·					
existe	d in the following	form:						
			-	(0)				
)			-	
			0					
	You are to	immediatel	Cease a	all activi	tv listed	on th	is notice.	
_		10 °			•			
-	You are to above imp	comply with nediately.	the Anl	keny Mu	nicipal (Code	Section c	ted
	^`	(<u>X t</u>	the appropri	iate blank)				
You a	re hereby notified	that a re-insp	ection wil	l be cond	ucted on	or abo	ut	
	70	, 20	<u>-</u> ·					
	Notice is written							lf a
	Citation become tion punishable							
	se or <mark>\$1,000.00</mark>				eu #150	.00 10	i uie iiist	
	 ,	•						
Code	Enforcement Offi	cer or Agent				Occi	upant Signa	ature

Initial here and add date if this is corrected upon recheck. ___/ ___/

- Interim inspections may occur at any time during construction. A finding of non-compliance will be cause for immediate issuance of a precitation by City personnel.
- Within 24 hours from pre-citation issuance a compliant installation shall be confirmed or a citation will be issued (weather related constraints will be considered).
- No work other than repair of noncompliant erosion control measures and features may be done thereafter until approval by City personnel and the Stop Work order lifted (weather related constraints will be considered).

Field Activities

• Without a 24 hour inspection request notice we cannot guarantee inspections at your convenience! A minimum 24 hour notice is strongly recommended!

City staff will coordinate inspection timing!

 All inspection requests must be made through the inspection request desk @ 963-3533!

Your Help Is Needed



RESIDENTIAL INSPECTION RECORD

POST THIS CARD IN A CONSPICUOUS LOCATION READILY ACCESSIBLE TO THE BUILDING INSPECTOR

FOR INSPECTIONS CALL (515) 963-3533 (24 Hour Notice Required)

COVER NO WORK BEFORE INSPECTION & APPROVAL

Contractor Initiate	Completed Date	Required Inspection	Approval Date	Inspector Initials
		Plumbing Rough-lin		V-12
		Electrical Rough-In		
ABOV	VE MUST BE	Mechanical Rough-In & Gus APPROVED PRIOR TO FRAI	UNG WEPEC	TION
NO INSUL	ATION OR D	Froming FYWALL UNTIL THE ABOVE	HAS BEEN A	PPROVED
POUR	NO CONCR	Bidowalk/Approach ETE UNTIL THE ABOVE HAS	BEEN APPR	OVED
		Plumbing Final		
		Electrical Final		
		Machanical & Gas First		
		Building & Site Final		

Date	Correction Required	Approval Date	Inspector	

City of Ankery Community Development Department 515-953-3550

Field Inspection Checklist

- Rough-in Inspections
 - Sub-contractors sign off and date when rough-ins are complete
 - General contractor confirm sub's rough-ins are complete then call for ALL rough-in inspections as well as framing inspection –BEFORE- insulation or rock
 - ONE STOP FOR ROUGH-INS & FRAMING INSPECTIONS
- Final Inspections
 - Sub-contractors sign off and date when final installation is complete
 - General Contractor call for final after confirming
 ALL work is complete
 - COMMUNICATE, COMMUNICATE, COMMUNICATE

Final Inspections – Building Division Related

- Prior to calling for final inspection
- Confirm Field Inspection Checklist is Completed
 - Confirm all work is complete
 - Building
 - Plumbing
 - Electrical
 - Mechanical
 - MPE #2 Documentation as applicable
 - FEMA As-Built Documentation as applicable
 - Water meter set

Final Inspections – Development Engineering Division Related

- Prior to calling for final inspection
 - Confirm all work is complete
 - Site grading, sod and landscaping
 - Established vegetation
 - Drainage Swales
 - Sidewalks and driveways
 - Confirm infrastructure is intact and working
 - Curb boxes, cleanouts, manholes etc
 - Infrastructure needing repair will hold up your C.O.

Final Inspections – Planning Division Related

- Prior to calling for final inspection
 - Confirm all work is complete
 - Berms
 - Landscaping
 - Trees
 - Shrubs
 - Typically these requirements exist in PUD's and/or along major streets

Final Inspection Requests

- Minimum 24 hour inspection notice
- Please allow us time for C.O. issuance
- Final inspection and closing on the same day may create difficulties.
- Please plan ahead!



Teff Junker, Building & Zoning Administrator

CERTIFICATE OF OCCUPANCY & USE

bringing it all tegether.

PURSUANT TO REQUIREMENTS OF THE NOUNCEPAL CODE OF THE CITY OF ANKENY, THE PROPERTY IDENTIFIED BELOW MAY BE LEGALLY USED IN THE MANNER DESCRIBED. BUILDING ADDRESS: 1313 MAIN LEGAL DESCRIPTION: This confificulty is issued pursuant to the requirements of the Municipal Code of the City of Ankany and other applicable extinances. certifying that at the time of issuance this structure is in compliance with the adopted construction codes and zoning ordinance for the use and work specified in the following permit. Building Permit Permoet: BI 102006-00898 The Classification. Strigle Family Residential Trate of Work - NE DWELLING Zeeing Pennic Applicant - (BUILDOR Type of Construction Dasign Compant Load Sprinkler System Previoled Property Owner. Sprink e: System Required No change of use may be made at this location unless a new Certificate of Occupancy & Use is granted for such use and no change in this building may be used without first consulting the Community Development Department, SPECIAL STIPULATIONS AND CONDUTIONS

City of Ankany Community Development Department - 220 Wes. First Strest - Ankany, IA 50023-1751

Certificate of Occupancy

Required prior to occupancy

 Please allow time for the final inspection and any corrections to be made and re-inspected and confirmed and the C.O. to be processed.

Cooperation, organization and communication!

General contractors are responsible for their projects and must coordinate site and inspection activities of all trades!

YOUR HELP IS NEEDED Drainage

- Site Grading
 - Know the plan
 - Avoid blockage of drainage ways
 - Understand where
 the run-off water or
 sump water is
 supposed to go



YOUR HELP IS NEEDED Overland Drainage Swales

- Swales that carry water between houses
- Defined spot elevations that an MPE is based upon
- Do not 'lose' the basement dirt in these areas!
- Do not impede with landscape grading!



YOUR HELP IS NEEDED Working Hours

 Ankeny Municipal Code Chapter 44

Construction Noise Prohibited

- Weekdays
 - 9:00 p.m. until 7:00 a.m.
- Weekends
 - 6:00 pm. until 9:00 a.m

YOUR HELP IS NEEDED

Protect Infrastructure



- Manholes incorporated into sidewalks and driveways must be appropriately grouted or "risers" installed to elevate as needed.
- Don't bury or damage manholes located elsewhere on the property.

YOUR HELP IS NEEDED

Protect Infrastructure

- Extension
 rings/risers
 including
 beveled rings
 may be obtained
 from pipe
 suppliers
- Municipal Supply
- HD Waterworks
- Etc.




YOUR HELP IS NEEDED

• Site Activity

- Sod watering
- Water meter must be installed prior to sod watering



 Permit application submittals must be complete and accurate!



 Allow time for permit review, inspection scheduling, final inspections and C.O. Issuance!

 General contractors you are responsible for your projects – including site conditions and issues and coordinating inspections.

• Be a good neighbor!

 Cooperation and organization are key elements!

• New code provisions will be applied soon!

Purchase a code book!

In Closing

- The construction season is off to a good start.
- We hope this information, and in some cases gentle reminders, will help us keep things running smoothly.
- Please never hesitate to call we are always more than happy to make ourselves available for discussion.



Thank you for building the City of Ankeny